DNV·GL

TYPE EXAMINATION CERTIFICATE

Certificate No: 341.1-J-5977 Rev.0

This is to certify that the product(s) **Fuelling Hoses**

with name and/or type designation(s) HD / TW acc. to EN 12115:2011 / EN 1761:1999

Manufactured by

ELAFLEX - Gummi Ehlers GmbH Schnackenburgallee 121, D - 22525 Hamburg, Germany

has been assessed, on voluntary basis, with respect to the conformity assessment procedure described in the standards as amended, and found to comply

Further details are given overleaf

Høvik, 2015-05-21 for DNV GL

Certification Manager

DNV GL AS, Høvik

2025-05-20

This Certificate is valid until

(name) Technical Reviewer

This Certificate is subject to terms and conditions overleaf. Any significant change in design or construction may render this Certificate invalid. Except for any liability caused by DNV GL's gross negligence or wilful misconduct, DNV GL's maximum cumulative liability arising out of or related to the use of or reliance on this document shall be limited to USD 300 000.

The digitally signed and electronically distributed document is the original and valid certificate. Ref.: www.dnv.com/digitalsignatures

Certificate No: 341.1-J-5977

Certificate history

| Revision | Description | Issue Date | |
|----------|----------------------|------------|--|
| 0 | Original certificate | 2015-05-21 | |

Products covered by this Certificate

| Product Name | Product Description | Applied Product Std. |
|---------------------|---|---------------------------------|
| HD | "Yellow band" High Pressure Fuelling Hose for | or Reel Operation EN 12115:2011 |
| TW | "Yellow band" Smooth Bore Tank Truck Hose | e Kink resistant EN 12115:2011 |
| | | EN 1761:1999 |

Design Data

| Maximum allowable pressure (PS) | Maximum / Minimum allowable temperature (TS) | Fluid | Fluid group |
|---------------------------------|---|-----------------|-------------|
| HD 25 (20) bar | +90/-30°C | Petroleum Fuels | 1 |
| TW 20 (16) bar | +90/-30°C | Petroleum Fuels | 1 |

Applications/Limitations

 This Certificate only relates to standards described above. Other standards or directives, covering other phenomena, might also apply.

Tests carried out on

| Product Name / Identification | Tests | |
|-------------------------------|---|--|
| HD / TW | acc. to above product standards | |
| Production Site Name | Address | |
| ContiTech Schlauch GmbH | Continentalstr. 3-5, D - 34497 Korbach, Germany | |

Inspection of manufacturing and testing of prototype(s) has been carried out by DNV GL Hamburg, ref. Assessment Report dated 2015-05-12.

Documents reviewed

| Drawing/Document No | Rev. | Date | Title | Status ¹ | | |
|---------------------|------|------|-------------------------------------|---------------------|--|--|
| ELAFLEX catalogue | 9 | 2013 | Fuelling Hoses with / without Helix | r FI | | |
| M-10-01-06V | | | Verfahrensvorschrift | AC | | |
| Z1285/1023 | | | Production Specification | AC | | |

A = Approved, AC = Approved with comments, FI = For information

Form code: PED.Ba Revision: 2015-01 www.dnvgl.com Page 2 of 3

Certificate No: 341.1-J-5977

Terms and conditions

The certificate is subject to the following terms and conditions:

- In case of damages caused by defective products, directive 85/374/EEC, as amended, will apply
- The Certificate is only valid for the product(s) listed above
- · The Certificate is concerned with the design and prototype testing of the product, only

The following may render this Certificate invalid:

- Changes in the design or construction of the product(s)
- Changes or amendments to the referenced directive(s)
- Changes or amendments in the standard(s) which form the basis for documenting compliance with the essential requirements of the directive(s)

Marking of product

This Certificate does not give the Manufacturer the right to CE mark the product(s) listed on this Certificate.

The manufacturer marking includes the Elaflex logo and a yellow band every 4 meters as well as the embossing per standard requirements.

Form code: PED.Ba Revision: 2015-01 www.dnvgl.com Page 3 of 3